



## Pellet Scanner (PS200C)

The OCS Pellet Scanner (PS200C) can analyse opaque pellets on a rotating plate with the use of a colour matrix camera. The system detects impurities that show a color deviation from the product. An additional feature of the PS200C is a multi-track flap system that sorts out the contaminated pellets. Further advantages are the data transfer of real-time results to the production and process control as well as product improvement by sorting out contaminated pellets.

### Testable Raw Materials

- Opaque pellets

### Features

- High-performance 3CMOS colour matrix camera
- Contamination size as of 55 µm
- Throughput rate of up to 200 kg/h depending on pellet properties
- Visualisation of the real-time results
- Multi-track suction system for sorting out contaminated pellets

### Sales Team




T +49 2302 95622 - 0  
F +49 2302 95622 - 33  
info@ocsgmbh.de

### Address

OCS Optical Control System GmbH  
Wullener Feld 24  
58454 Witten  
Germany

## Technische Daten

<b>Camera</b>	3CMOS color line scan camera
<b>Resolution</b>	50 µm
<b>Lighting</b>	High power LED white light spectrum
<b>Communication protocol</b>	MODBUS (RTU, TCP / IP), PROFIBUS, PROFINET, OPC (Server / Client), CSV-file, customer-specific



## Additional available add-on

- Pellet Transport System (PTS)

## Optional

- Customer-specific data preparation and transfer
- Remote control (via communication protocol or digital I/O)

## Similar Products



### Pellet Scanner (PS800C)

With the OCS Pellet Scanner (PS800C), highly transparent and opaque pellets can be analysed in free fall with the use of two separate colour ... [read more on our Website]



### Pellet Scanner (PS25C)

With the OCS Pellet Scanner (PS25C), highly transparent and opaque pellets can be analysed on a vibration plate with the use of a colour ... [read more on our Website]



### Pellet Transport System (PTS)

The OCS Pellet Transport System (PTS) is a control system that ensures the continuous and automatic transport of plastic granules (pellets) between production lines ... [read more on our Website]



### X-Ray Pellet Scanner (XP7)

The new XP7 X-Ray Pellet Scanner detects metal defects in highly transparent and opaque pellets, which improves the polymer and product quality. The innovative ... [read more on our Website]



### Pellet Analysing System (PA66)

The modular OCS Pellet Analysing System (PA66) consists of the following components: The Pellet Scanner (PS25C) detects impurities that show a colour deviation from ... [read more on our Website]



### Colour Measurement (CM3)

With the OCS Colour Measurement (CM3) all types of pellets can be analysed with the use of a colour spectrometer in a measuring channel ... [read more on our Website]



### Pellet Size & Shape Distribution Measurement (PSSD)

With the OCS Pellet Size and Shape Distribution System (PSSD), all types of pellets can be analysed in free fall by using a line ... [read more on our Website]

Pictures, drawings and data are non-binding and subject to modifications without prior notice. © 2020 all rights reserved - OCS Optical Control System GmbH | Wullener Feld 24 | 58454 Witten, Germany